Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1	"6711015".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/07 08:35
L3	5	("5495389"   "5707282"   "6164369"   "6269001"   "6478284").PN. OR ("6711015").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/07 08:13
L4	149	292/38	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/07 08:17
L5	60	(bracket or hinge or latch) with pivot\$4 with (pin or post) with (retention or release) and "361". clas.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/07 08:20
L6	0	312/326,327,233.2	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/07 08:42
L7	1011	(312/326,327,233.2).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/07 08:50
L8	1421	(248/505,510,680,694).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/07 08:50
S1	47	(("(5535094") or ("5206778") or ("5705822") or ("5761350") or ("6094919") or ("5713690") or ("6729052") or ("5773362") or ("6011299") or ("6114761") or ("6212074") or ("6212074") or ("6430052") or ("6556440") or ("5776790") or ("4802062") or ("5511055") or ("6215323") or ("6215323") or ("4289956") or ("4588092") or ("4784721") or ("4794981") or ("4865123") or ("4879632") or ("4844167") or ("4902969") or ("4912600") or ("4920574") or ("5186238") or ("5202716") or ("5410448") or ("5202716") or ("5410448") or ("5461766") or ("5574626") or ("5590061") or ("5715168") or ("5761262") or ("5767690") or ("5805403") or ("5712802") or ("5992798).pn.")). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/29 16:40

<b>S</b> 3	2697	latch with pin with pawl	US-PGPUB; USPAT;	OR	ON	2005/10/03 07:39
			USOCR			
S4	139	S3 and two near3 slot	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 16:47
S5	1144	latch with tab with pin	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 17:09
S6	16930	latch with hinge	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 17:10
S7	2859	latch with hinge with pin	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 17:10
S8	165	latch with hinge with pin same plastic	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 17:15
S11	1442	361/801	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/03 09:09
S12	213	361/801 and latch and pin	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 17:28
S13	158592	releas\$4 with pivot\$4	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/03 07:40
S14	117857	"361".clas.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/03 07:40
S15	1336	S13 and S14	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/03 07:40
S16	832	S15 and pin	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/03 07:40
S17	180	S16 and hinge	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/03 08:16
S18	12831	latch with lock same releas\$4 same pivot\$4	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/03 08:17
S19	2341	S18 and pin and hinge	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/03 08:17
S20	636639	mount	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/03 09:10

S21	6697	locking with hinge and plastic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 09:11
S22	561	locking with hinge and plastic and thumb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 09:30
S23	19947	base same channel and hinge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 09:31
S24	5586	base same channel same pin and hinge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 09:31
S25	1545	S24 and plastic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 09:53
S27	69603	latch and plastic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 09:54
S28	20308	S27 and curv\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 09:55
S29	12179	S28 and pin	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 09:55

S30	8602	S29 and lock\$3	US-PGPUB;	OR	ON	2005/10/03 09:56
330	8002	323 dilu luckas	US-PGPOB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	UK	ON	2003/10/03 03:36
S31		latch with plastic with curv\$4 with pin with lock\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 09:58
S32	243	latch with curv\$4 with pin with lock\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:12
S33	292	latch with curv\$4 with outer with inner	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:13
S34	10	("20020117507"   "2332245"   "4011940"   "4743038"   "5193706"   "5348185"   "5695087"   "6276552"   "6305546").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/03 10:15
S35	12	("2776778"   "3101154"   "3147880"   "3270911"   "3334770"   "4588104"   "5065885").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/03 10:23
S36	5	("5348185").URPN.	USPAT	OR	ON	2005/10/03 10:46
S37	31	retention adj module and cooling	USPAT	OR	ON	2005/10/03 11:01
S38	28	retention adj module and fan	USPAT	OR	ON	2005/10/03 11:04
S39	82	retention adj module and (heat adj sink)	USPAT	OR	ON	2005/10/03 11:20
540	216	pin near3 protrud\$3 with (cooling or fan or heat)	USPAT	OR	ON	2005/10/03 12:06
S41	83	(361/610).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/03 12:15
S42	1531	(312/223.1,223.2).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/03 12:16
S43	650	S42 and (hinge or latch)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/03 12:16
S44	287	S42 and (hinge or latch) and pin	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/03 12:33

S45	24324	(16/221-392).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/03 12:34
S46	3535	S45 and releas\$4	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/03 12:35
S47	2860	S46 and (pivot\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/03 12:37
S48	2078	S47 and pin	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/03 13:06
S49	297486	open with closed with position	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/03 13:07
S50	56866	S49 and hinge	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/03 13:07
S51	14377	S49 and hinge with pin	US-PGPUB; USPAT; USOCR	OR .	ON	2005/10/03 13:08
S52	5483	S51 and slide	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/03 13:08
S53	3710	S52 and releas\$4	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/03 13:09
S54	2364	S53 and (chasis or enclosure or cabinet or case)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/03 13:11
S55	1	(open with closed with position)with hinge with pin with slide with releas\$4 same (chasis or enclosure or cabinet or case)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/03 13:13
S56	6	(open with closed with position)with hinge with pin with slide with releas\$4	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/03 13:14
S57	2	(open with closed with position)with hinge with pin with slide with releas\$4 with pivot\$4	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/03 13:15
S58	45	(open with closed with position)with pin with slide with releas\$4 with pivot\$4	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/03 13:20
S59	204	channel with first with second with hinge with pin	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/03 13:34
S60	666	slot with first with second with hinge with pin	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/03 13:36

S61	281	first with second with hinge with pin with stop	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/03 13:36
S62	0	first with second with hinge with pin with stop with thumb	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/03 13:37
S63	7	first with second with hinge with pin with thumb	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/03 13:37
S64	121	first with second with hinge with pin with tab	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/03 15:01
S65	748	(411/508).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/03 15:10
S66	642	(411/913).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/03 16:09
S67	602	(361/725).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/03 16:09
S69	2712	hinge with detent	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 08:10
S70	117949	"361".clas.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 08:11
S71	69	S69 and S70	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 08:22
S72	13196	latch with detent	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 08:22
S73	240	S70 and S72	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 08:33
S74	265	hinge with three near3 arm	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 08:33
S75	6	S70 and S74	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 08:34
S76	399	hinge with two near3 channel	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 08:35
S77	8	S70 and S76	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 08:36

	<del></del>	r :	Г	<del>,</del>	<del></del>	1
S78.	329	latch with three near3 arm	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 08:48
S79	92	hinge with curv\$8 with detent	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 08:51
S80	219	latch with curv\$8 with detent	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 08:57
S81	110	hinge with curv\$8 and S70	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 09:09
S82	0	16/315.clss.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 09:09
S83	82	(16/315).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/06 09:13
S84	136	(24/573.11).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/06 09:16
S85	30	(70/42).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/06 09:17
S86	97	(70/45).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/06 09:18
S87	1348	(292/332-335).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/06 09:19
S89	109	S87 and hinge	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 10:11
S90	156	(403/95).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/06 09:24
S91	53	(403/109.2).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/06 10:10
S93	25465	pin with detent	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 10:11
S94	2917	pin with detent with (latch or hinge)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 10:12
S95	45	S70 and S94	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 10:12

S96	2	10/749732	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 10:35
S97	1	("6430041").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/06 16:48
S98	463	(361/600).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/06 16:53
S99	816	(361/679).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/06 17:10
S10 0	2808	(361/687,694-695,754-755,798). CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/06 17:56
S10 1	2187	(361/687,694-695,754-755,798). CCLS.	USPAT; USOCR	OR	OFF	2005/10/06 18:06
S10 2	0	361/687,694-695,754-755,798.clss. and pn<"4600000"	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 18:04
S10 3	0	361/687,694-695,754-755,798 and @py<"1986"	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 18:07
S10 4	193	361/687,694-695,754-755,798.ccls. and @py<"1986"	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 18:11
S10 5	46	454/84.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 18:12
S10 6	722	454/184.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 18:31
S10 7	1401	403/321,324,330.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/07 08:00